

HOSPITALITY TECHNOLOGY CATALOGUE

2025-2026



**AWARD -WINNING
INTERNATIONAL
SUPPLIER**

hotel-tech.com



Hotel Technology International Limited
167-169 Great Portland Street | London, W1W 5PF
United Kingdom
T: +44(0)203 405 1200
E: sales@hotel-tech.com | W: hotel-tech.com



INDEX

ANALOGUE PHONES

ACE Nordic Series	3-5
COTELL Aurum Series	6-12
COTELL Fuego Series	13-16
COTELL TE Series	17-18
COTELL OTHER	19-21
ACE Series	22-34

IP PHONES

Cotell Aurum IP	35-40
ACE IP	41-53

ALARM CLOCKS

Homtime C1	54
Homtime C1 Pro	55
Harmony Qi Wood Effect	56

see more alarm clocks online

MEDIA PANELS

Harmony Megahub	57
Harmony Microhub	58

see more media panels online

FACEPLATE DESIGN

See Website

DOOR LOCKS

See Webstie	60
-------------	----

ALSO ONLINE

Light Switches & Room Control
Digital Door Signs for Hospitality

FIND US ONLINE
WWW.HOTEL-TECH.COM
E: sales@hotel-tech.com





Part Code
VN200A(1S)SP

ACE Nordic Analogue Guest Phone VN200A(1S)SP

Premium Features

- Analogue Telephone compatible with all major PBX/PABX telephone systems
- Smart Design Format
- 6 One-touch Guest Service Keys
- Single line
- Ringing light
- Adjustable Handset Volume
- Redial and flash keys

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Colour Options: Black with Silver trim
- 6 Guest Service Keys


HIGHLIGHTS

VN200A(1S)SP

Analogue, small footprint hotel guest room phone, single line, redial, volume, single light, ringing light. 0-6 Guest Service Keys

SEE ALSO





Part Code
VN300A(1S)

ACE Nordic SL Desk Phone VN300A(1S)

Premium Features

- Analogue Telephone compatible with all major PBX/PABX telephone systems
- Desk Phone
- Smart Design Format
- Single line
- Ringing light
- Adjustable Handset Volume
- Pause, Flash and Redial

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Colour Options: Black with Black, Gold or Silver trim

HIGHLIGHTS

VN300A(1S)SP

Analogue, small footprint hotel guest room phone, single line, redial, volume, single light, ringing light.





Part Code
VN100A(1S)

ACE Nordic Analogue Bathroom Phone VN100A(1S)

Premium Features

- Analogue Telephone compatible with all major PBX/PABX
- telephone systems
- Desk/ wall mountable
- Smart design format
- Single line
- Ringing light
- Adjustable Handset Volume
- Pause, Flash and Redial
- Water/ moisture resistant

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Colour Options: Black with silver trim - optional gold or black trim also available

HIGHLIGHTS

VN100A(1S)

Single line analogue trim hotel bathroom or lobby telephone with pause, flash and redial, ringing light. Water/ moisture resistant. Desk top or wall mountable

Also in this series

VN300A(1S)

VN200A(1S)SP





Part Code
AU2080A(1S)SP

Cotell Aurum Hospitality Phone AU2080A(1S)SP

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 0-6 programmable Guest Service Keys
- Message Waiting Light Neon Indicator (MWL)
- Full-length faceplate for customisation, guest key icons, logo/branding, and dual-lingual dialling instructions
- Adjustable speaker and handset volume with mute
- Adjustable ringer volume
- Hold, redial and flash keys
- Adjustable flash-hook timing
- Pass-through data port
- USB charging (optional)

Appearance & Fittings

Weighted solid cast aluminium stand
Colour options, black
Screen printed acrylic faceplate (optional)

HIGHLIGHTS

AU2080A(1S)SP Single line analogue phone with 1-6GSK, redial, hold, mute and flash, ringer volume control, adjustable flash-hook timer.





Cotell Aurum Hospitality Phone AU2080A-E(1S)SP

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 0-6 programmable Guest Service Keys
- Message Waiting Light Neon Indicator (MWL)
- Full-length faceplate for customisation, guest key icons, logo/branding, and dual-lingual dialling instructions
- Adjustable speaker and handset volume with mute
- Adjustable ringer volume
- Hold, redial and flash keys
- Adjustable flash-hook timing
- Pass-through data port
- USB charging (optional)

Appearance & Fittings

Black with high quality black plastic stand
Colour options, black or white
Screen printed acrylic faceplate

HIGHLIGHTS

AU2080A-E(1S)SP Single line analogue phone with 1-6 GSK, redial, hold, mute and flash, ringer volume control, adjustable flash-hook timer.



Cotell Aurum Series Phones

Now with 3, 6, 8 or 10 Guest Service Buttons



TECHNOLOGY THAT ENHANCES THE GUEST EXPERIENCE

Cordless and Corded Guest Room phones in a choice of colours from award winning provider, Hotel Technology International Limited ...

Multiple guest service key options, Corded, Cordless DECT and combination phones available

We specialise in Hospitality guest technology that is contemporary, stylish and gives clients more opportunities to promote their brand.

[VISIT HOTEL-TECH.COM](http://www.hotel-tech.com)



8 Guest Service Keys

6 Guest Service Keys



3 Guest Service Keys



The Cotell Aurum hospitality phone series, available from Hotel Technology International, includes stylish phones with hospitality features designed to enhance the guest experience.

With new lines added, we are excited to highlight the uniquely appealing addition of cordless and corded phones with more opportunities to connect guests to your facilities.



**MORE STYLES
ONLINE**



Cotell Aurum 8 Guest Service Key Hospitality Phone

AU2081A(1S)SP

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 0-8 programmable Guest Service Keys
- Surface Mount Technology with CPU control
- Message Waiting Light Neon Indicator (MWL)
- Full-length faceplate for customisation, guest key icons, logo/branding
- High immunity to electro-magnetic radiation
- Adjustable flash-hook timer
- Handset & speaker volume control
- Ringer volume control
- Redial, hold, mute & flash
- Small footprint

Appearance & Fittings

Matte finished high quality plastic casing
Colour options: matte black, matte cream white
Full length customisable faceplate (optional)
Contemporary straight handset

HIGHLIGHTS

AU2081A(1S)SP Single line analogue phone with 1-8GSK, redial, hold, mute and flash, ringer volume control, adjustable flash-hook timer.





Part Code
AU2080AW(1S)SP

Cotell Aurum Analogue Cordless Phone **AU2080AW(1S)SP**

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 1-6 programmable Guest Service Keys
- 1.8/1.9 Ghz frequency band
- Base and handset dialling capability
- Secured digital transmission
- Redial capability for both base and handset
- Hold on base and handset
- Surface mount technology with CPU control
- Full length customizable
- High immunity to electronic radiation
- Adjustable flash-hook timer
- Handset and speaker volume control
- Ringer volume control
- Redial, hold, mute and flash
- Optional +5V/2.1A USB Charger

Appearance & Fittings

Matte finished high quality plastic casing

Standard Matte Finish: Black

Optional coloured rim

HIGHLIGHTS

AU2080AW(1S)SP

Single line analogue phone with 1-6GSK, redial, hold, mute and flash, ringer volume control, adjustable flash-hook timer..



COTELL®

3 button
handset dialling



Part Code
AU2066A(1S)

Cotell Aurum Bathroom/Lobby Phone AU2066A(1S)

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 3 programmable Guest Service Keys
- Surface mount technology with CPU control
- High immunity to electronic radiation
- Adjustable flash-hook timer
- Handset volume control
- Ringer volume control
- Redial, hold, mute and flash
- Heat and steam resistant
- Wall mount
- Available in matte black or white

Appearance & Fittings

- Matte finished high quality plastic casing
- Standard Matte Finish: Black or white

HIGHLIGHTS

AU2066A(1S)

Single line analogue phone with 3GSK, volume control, redial, hold, mute and flash, humidity resistant.





Part Code
AU2066AE

Cotell AURUM - 3 Guest Service Key Hospitality Phone AU2066AE

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- Surface mount technology
- 1-3 programmable Guest Service Keys
- Ringer volume control
- High immunity to electro-magnetic radiation
- Anti-noise high sound quality
- Handset Volume Control
- Function Keys:
 - Redial, Hold, Mute & Flash
- Small footprint - suitable for areas where space is limited
- Steam resistant

Appearance & Fittings

Matte finished, high quality plastic casing
Matte Black, Matte White (optional), Dark green
Black Plastic Base
Screen printed acrylic faceplate (optional)
1-3 Guest Service Keys

HIGHLIGHTS

AU2066AE

Single line analogue phone with 1-3GSK, redial, hold, mute & flash, handset volume control, anti-noise, high sound quality.





Part Code
FG1088A(1S)SP

Cotell Fuego SmartStation Hotel Phone FG1088A(1S)SP

Premium Features

- Analogue Speakerphone compatible with all major
- PBX/PABX telephone systems
- 1 line speakerphone models
- 0-10 Programmable Guest Service Keys
- Message Waiting Light Neon/LED Indicator (MWL)
- Full-length Faceplate for customisation, guest key icons,
- logo/branding
- Adjustable Speaker and Handset Volume with Mute
- Hold, Redial and Flash keys
- Adjustable Flash-Hook timing
- Data PortAcrylic Stand
- High quality plastic casing: Black
- Custom printed faceplate

Appearance & Fittings

- Rugged Plastic Stand
- High Quality Plastic Casing: Black or Ivory
- Standard Paper Faceplates with Overlay
- Hi-Grade Screen-printed Polycarbonate Faceplates (optional)

HIGHLIGHTS

FG1088A(1S)SP

Fuego SmartStation (analogue) 1-line Speakerphone with 0-10 Guest Service Keys, Flash, Redial, Hold, Mute, Volume Control, MWL, in Black or Ivory.





Part Code
FG1088AW(1S)SP

Cotell Fuego SmartStation Cordless Phone FG1088AW (1S)SP

Premium Features

- Analogue Speakerphone compatible with all major PBX/PABX
- Single line
- Crystal clear interference-free Digital Enhanced Cordless (DECT) Technology
- 2.4 Ghz Operating Frequency
- Supports up to 3 Additional "CordlessStation" Handsets per base
- Long-life NiMH Rechargeable Battery
- Handset locator/paging function
- Rapid recharging and charging light indicator
- 6 hour talk time
- 14 day standby time
- 60 metre/200ft Handset range
- LCD Caller ID Display (option)

Appearance & Fittings

- Rugged Plastic Stand
- High Quality Plastic Casing: Black
- Standard Paper Faceplates with Overlay
- Hi-Grade Screen-printed Polycarbonate Faceplates (option)

HIGHLIGHTS

FG1088AW(1S)SP

Fuego SmartStation Cordless DECT (analog) 1-line Speakerphone with 0-10 Guest Service Keys, Flash, Redial, Hold, Mute, Volume Control, MWL.





Part Code
FG1088AW(1S)SP
-1.8GHz

Cotell Fuego SmartStation Cordless 1.8GHz Phone

Premium Features

- Analogue Speakerphone compatible with all major PBX/PABX
- Single line
- Crystal clear interference-free Digital Enhanced Cordless (DECT) Technology
- 1.8/1.9 (DECT 6.0) Ghz Operating Frequency
- Supports up to 3 Additional "CordlessStation" Handsets per base
- Long-life NiMH Rechargeable Battery
- Handset locator/paging function
- Rapid recharging and charging light indicator
- 6 hour talk time
- 14 day standby time
- 60 metre/200ft Handset range
- LCD Caller ID Display (option)

Certifications & Manufacturing

- ISO9001 Quality Assured Manufacturing
- ISO14001 Environmentally Approved Manufacturing
- CE, FCC, CCC Approved Product
- RoHS Certified
- FCC: Complied with parts 15 and 68 of FCC rules

Premium Features contd

- High quality speakerphone
- 0-10 programmable guest service keys on base
- 1 programmable guest service key on handset
- Message waiting light Neon/LED Indicator (MWL)
- Adjustable Speaker and Handset Volume with Mute
- Adjustable Ringer Volume
- Hold, Redial and Flash Keys
- Adjustable Flash-Hook Timing
- Pass-through Dataport

Environmental

- Temperature: 25°C +/- 10°C
- Humidity: 65% +/- 20%
- Weight: 1.20kg (TBC)
- Footprint: 22 x 16 cm (TBC)





Part Code
FG1080A(1S)SP

Cotell Fuego SmartStation SL Hotel Phone FG1080A(1S)SP

Premium Features

- Analogue (TDM) phone, compatible with all major PBX/PABX
- Single line
- High quality speakerphone
- 0-6 programmable Guest Service Keys
- Message Waiting Light Neon/LED Indicator (MWL)
- Faceplate for customisation
- Adjustable speaker and handset volume with mute
- Adjustable ringer volume
- Hold, flash and redial keys
- Adjustable flash-hook timing
- Matte finish
- Hi-Grade Screen-printed polycarbonate faceplates (option)

Appearance & Fittings

- Durable Plastic Stand
- High Quality Plastic Casing: Black or Ivory
- Standard Paper Faceplates with Overlay
- Hi-Grade Screen-printed Polycarbonate Faceplates (option)

HIGHLIGHTS

FG1080A(1S)SP

0-6 guest service keys, hold, flash, redial keys, speaker option and message waiting light indicator.





Part Code
TE3000A(1S)SP

Cotell TE3000 Hospitality Phone TE3000A(1S)SP

Premium Features

- Single Line
- Analogue
- 0-10 Guest Service Keys
- Handset volume control
- Ringer volume control
- Mute, Hold, Flash & Redial buttons
- Hands-free Speakerphone
- Auto configurable message light indicator
- Full length faceplate
- Desktop or Wall Mounted
- Small footprint

Appearance & Fittings

- Durable Base Stand
- Premium Matte Acrylic Finish: Black, Silver

HIGHLIGHTS

TE3000A(1S)SP

Analogue hotel guestroom phone features 0-10 guest service keys, handset volume control, ringer volume control, mute, hold, flash & redial buttons, hands-free speakerphone.





Part Code
TE3000A(1S)SP-USB

Cotell TE3000-USB Hospitality Phone TE3000A(1S)SP-USB

Premium Features

- Single Line
- Analogue
- 0-10 Guest Service Keys
- Handset volume control
- Ringer volume control
- Mute, Hold, Flash & Redial buttons
- Hands-free Speakerphone
- Auto configurable message light indicator
- Full length faceplate
- Desktop or Wall Mounted
- Small footprint

Optional USB

- Dual +5V/2.1A USB Charger

Appearance & Fittings

- Durable Base Stand
- Premium Matte Acrylic Finish: Black, Silver

HIGHLIGHTS

TE3000A(1S)SP-USB

Analogue hotel guestroom phone features 0-10 guest service keys, handset volume control, ringer volume control, mute, hold, flash & redial buttons, hands-free speakerphone.





Part Code
CT692A(1S)

CT692A(1S) Hospitality Bathroom/ Lobby Phone

CT692A(1S)

Premium Features

- Single line analogue phone
- Wall mountable
- 1 Guest Service Key
- LED for MWI
- Incoming call alert
- Volume
- Flash
- Redial
- Water/ moisture resistant

Appearance & Fittings

- High quality plastic casing
- Black matte or Ivory finish

HIGHLIGHTS

CT692A(1S)

Single line analogue trimline bathroom/lobby phone. Incoming call alert. Volume, flash, redial. Water/ moisture resistant





Part Code
CT688A-P

Line Corded, Wall-Mounted Speaker Phone CT688A-P

Premium Features

- Line corded, wall mounted telephone
- Horizontal design, single 86 panel
- Plastic panel, snap-in easy installation
- 3 buttons supported - silk screen custom icons
- High temperature and humidity resistant
- Clear call quality: clear, hands-free calls within 2 meters
- Stable quality

Specifications

- One-piece 86 bottom box for installation
- Panel & button material, high quality ABS plastic

Colour Options

- Black



HIGHLIGHTS

CT688A-P

Line corded, wall mounted telephone, high temperature and humidity resistant





Cotell Nova Hospitality Phone CH928A(1S)SP

Premium Features

- Economical price
- Analogue
- Single line models
- Up to 8 guest service keys
- Speakerphone (SP models only)
- Handset volume control
- Ringer volume control
- Hold, Flash & Redial keys
- Message Waiting Light (MWL)
- Customisable faceplate
- Dataport
- Adjustable handset volume
- Small footprint

Appearance & Fittings

- Ash/
- Colour options: Ivory or Black
- Customised options must be specified at time of order placement

HIGHLIGHTS

CH928A(1S)SP

Analogue 1-line Speakerphone with 0-8 Guest Service Keys, Flash, Redial, Hold, Mute, Volume Control, MWL





Part Code
V2500+5A(1S)SP

ACE Media Plus 5 Guest Room Phone V2500+5A(1S)SP

Premium Features

- Single line Analogue Phone
- 5 programmable Guest Service Keys
- FM radio
- LCD clock with alarm & snooze functions
- Programmable flash time
- Push button keypad on handset
- Ringer/ in-use LED indicator
- Bluetooth and audio-in music players
- Battery back up
- Customisable faceplate
- Available in black or ivory
- USB port as Standard

Call Features

- Hold
- Flash
- Redial
- Call mute with indicator
- Adjustable talk and ringer volume
- Up to 5 guest service keys

HIGHLIGHTS

V2500+5A(1S)SP

Analogue hotel guestroom phone, with LCD alarm clock, USB charging, single line, Hold, Redial, Flash, Mute, Adjustable Volume





Part Code
V2500+5AW(1S)SP

ACE Media Plus 5 DECT Cordless Guest Room Phone V2500+5AW(1S)SP

Premium Features

- Single line DECT Cordless Analogue Phone
- 5 programmable Guest Service Keys
- FM radio
- LCD clock with alarm & snooze functions
- Programmable flash time
- Push button keypad on handset
- Ringer/ in-use LED indicator
- Bluetooth and audio-in music players
- Battery back up
- Customisable faceplate
- Available in black or ivory
- USB port as Standard
- 1.8GHz (Euro) DECT or 1.9GHz (US) DECT 2.0

Call Features

- Hold
- Flash
- Redial
- Call mute with indicator
- Adjustable talk and ringer volume
- Up to 5 customisable Guest Service Keys

HIGHLIGHTS

V2500+5AW(1S)SP

DECT Cordless Analogue hotel guestroom phone, with LCD alarm clock, USB charging, single line, Hold, Redial, Flash, Mute, Adjustable Volume





Part Code
V8000A(1S) SP

ACE Select Room Phone V8000A(1S)SP

Premium Features

- Analogue speakerphone compatible with all major
- PBX/PABX telephone systems
- 1 line speakerphone models
- 0-10 programmable guest service keys
- Message waiting light Neon/LED indicator (MWL)
- Faceplate customisation available; guest key icons, logo/branding
- Adjustable speaker and handset volume with mute
- Hold, mute, redial and speaker phone.

Appearance & Fittings

- Rugged plastic stand
- High quality plastic casing: single colour: black only
- Standard paper faceplates with overlay
- High-grade screen-printed polycarbonate faceplates (option)

HIGHLIGHTS

V8000A(1S)SP

Analogue hotel guestroom phone with speaker, single line, 10 GSK, hold, redial, flash, MWI, adjustable volume.

V8000AW(1S)SP Cordless DECT version





Part Code
V8000AW(1S) SP

ACE Select Cordless DECT Room Phone V8000AW(1S)SP

Premium Features

- Analogue speakerphone compatible with all major
- PBX/PABX telephone systems
- single line cordless DECT phone
- 0-10 programmable guest service keys
- Message waiting light Neon/LED indicator (MWL)
- Faceplate customisation available; guest key icons,
- logo/branding
- Adjustable speaker and handset volume with mute
- Hold, mute, redial and speaker phone.

Appearance & Fittings

- Rugged plastic stand
- High quality plastic casing: single colour: black only
- Standard paper faceplates with overlay
- High-grade screen-printed polycarbonate faceplates (option)

HIGHLIGHTS

V8000AW(1S)SP Cordless DECT phone





Part Code
V2300A (1S) SP

ACE Zeppa Corded Room Phone V2300A(1S)SP

Premium Features

- Analogue speakerphone compatible with all major PBX/PABX telephones
- Single line
- 5 Guest Service Keys
- Hold, redial, flash, mute, call waiting indicator

Call Features

- Call hold
- Call flash
- Call waiting indication
- Call mute
- Last number redial

Appearance & Fittings

- Matte finish
- 0-5 programmable guest service keys
- Message waiting light Neon/LED indicator (MWL)
- Faceplate for customisation, guest key icons, logo / branding
- Adjustable speaker and handset volume with mute
- Adjustable ringer volume
- Hold, redial, and flash key

HIGHLIGHTS

V2300A(1S)SP

Analogue guestroom phone with speaker, single line, 5 GSK, Hold, Redial, Flash, Mute, Call Waiting Indicator





Part Code
V89A(1S)SP

V89 Analogue Room Phone V89A(1S)SP

Premium Features

- Analogue Speakerphone compatible with all major
- PBX/PABX telephone systems
- 1 line speakerphone models
- 0-10 Programmable Guest Service Keys
- Faceplate for customisation, guest key icons,
- logo/branding
- Adjustable Speaker and Handset Volume with Mute
- Hold, Redial and Flash keys
- Adjustable Flash-Hook timing

Appearance & Fittings

- Rugged Plastic Stand
- High Quality Plastic Casing: Black or Ivory
- Standard Paper Faceplates with Overlay
- Hi-Grade Screen-printed Polycarbonate Faceplates (option)

HIGHLIGHTS

V89A(1S)SP

Analogue hotel guestroom phone with speaker, single line, 10GSK, hold, redial, flash.





Part Code
V89AM(1S)SP

ACE V89AM Analogue Room Phone V89AM(1S)SP

Premium Features

- Analogue Speakerphone compatible with all major
- PBX/PABX telephone systems
- 1 line speakerphone models
- 0-10 Programmable Guest Service Keys
- Faceplate for customisation, guest key icons,
- logo/branding
- Adjustable Speaker and Handset Volume with Mute
- Hold, Redial and Flash keys
- Adjustable Flash-Hook timing

Appearance & Fittings

- Rugged Plastic Stand
- High Quality Plastic Casing: Black or Ivory
- Standard Paper Faceplates with Overlay
- Hi-Grade Screen-printed Polycarbonate Faceplates (option)

HIGHLIGHTS

V89AM(1S)SP

Analogue hotel guestroom phone with speaker, single line, 10GSK, hold, redial, flash, data port, adjustable volume.





Part Code
V4500(1D)SP

ACE 4500 Analogue Display Phone V4500(1D)SP

Premium Features

- Analog speakerphone compatible with most major PBX/PABX telephone systems
- 1-line speakerphone models
- 0-10 programmable Guest Service Keys
- Message waiting light Neon/LED indicator (MWL)
- Full-length faceplate for customisation, guest key icons, logo / branding
- Adjustable speaker and Handset volume with mute
- Hold, redial, message retrieval and redial

Appearance & Fittings

- Rugged Acrylic Stand
- High quality plastic casing: Black
- Full length custom printed faceplate

HIGHLIGHTS

V4500A(1D)SP

Alpha analog 1-line Speakerphone with 0-10 Guest Service Keys, Hold, Redial, Message Retrieval, Volume Control, MWL



ACE



Part Code
V2300AW(1S) SP

ACE Zeppa Cordless Room Phone V2300AW(1S)SP

Premium Features

- Cordless analogue DECT telephone with major PBX compatibility
- Available in one and two line models
- Up to 3 handsets can be paired to base
- Crystal clear interference-free Digital Enhanced Cordless Telecommunications (DECT) Technology
- Euro DECT 1.8 GHz
- US DECT 1.9 GHz (DECT 6.0)

Call Features

- Call hold
- Call flash
- Call waiting indication
- Call mute
- Last number redial

Appearance & Fittings

- Matte finish
- 0-5 Programmable guest service keys
- Message waiting light Neon/LED indicator (MWL)
- Faceplate for customisation, guest key icons, logo / branding
- Adjustable speaker and handset volume with mute
- Adjustable ringer volume
- Hold, redial, and flash keys

PBX COMPATIBILITY

Asterisk · Broadsoft · Alcatel · NEC ·
Avaya basic call features supported.





Part Code
V2301AMW(1S)SP

ACE Zeppa Cordless Micro Main Unit V2301AMW(1S)SP

Premium Features

- Cordless Analogue DECT Speakerphone compatible
- with all major PBX/PABX telephones
- Single line
- Crystal clear interference-free Digital Enhanced Cordless Telecommunications (DECT) Technology
- 1.8/1.9 (DECT 6.0) Operating Frequency

Appearance & Fittings

- Matte Finish
- 0-5 Programmable Guest Service Keys
- Message Waiting Light Neon/LED Indicator (MWL)
- Faceplate for customisation, guest key icons, logo / branding Adjustable Speaker and Handset Volume with Mute
- Adjustable Ringer Volume
- Hold, Redial, and Flash keys

Call Features

- Call Hold
- Call Flash
- Call Waiting Indication
- Call Mute
- Last Number Redial

PBX COMPATIBILITY

Asterisk · Broadsoft · Alcatel · NEC · Avaya
basic call features supported.





Part Code
VCA60A(1S))

ACE Caspian Bathroom/Lobby Phone VCA60A(1S)

Premium Features

- Analogue Telephone compatible with all major PBX/PABX
- telephone systems
- Trimline Format
- Single line
- Water and moisture proof
- Flash, mute and redial keys

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Colour Options: Matte Ivory
- Customised Label

HIGHLIGHTS

VCA60A(1S)

Single line Analogue Trimline bathroom/lobby phone. Water and moisture proof, Flash, Mute & Redial keys



ACE



Part Code
VVE60A(1S)

ACE Vega Bathroom/Lobby Phone VVE60A(1S)

Premium Features

- Analogue (TDM) Phone compatible with all major PBX/PABX telephone systems
- Trimline Format
- Wall-Mount
- Water and Humidity Resistant
- Adjustable Handset Volume
- Mute, Flash, Redial Keys

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Colour Options: Matte Black, Matte White

HIGHLIGHTS

VVE60A(1S)

Single line Analogue Trimline bathroom/lobby phone. Water and moisture proof, Flash, Mute & Redial keys - 2 colour options.





Part Code
V658A(1S)

V658A Single Line Bathroom/Lobby Phone - 1GSK V658A(1S)

Premium Features

- Single line analogue phone
- Wall mountable
- 1 Guest Service Key
- LED for MWI
- Incoming call alert
- Volume
- Flash
- Redial
- Water/ moisture resistant

Appearance & Fittings

- High quality plastic casing
- Black matte finish

HIGHLIGHTS

V658A(1S)

Single line analogue trimline bathroom/lobby phone. Incoming call alert. Volume, flash, redial. Water/ moisture resistant





3 button handset dialling

Part Code
AU2061A-IP

Cotell Aurum 3 Guest Service Key SIP Hospitality Phone AU2061A-IP

Premium Features

- Supports 1 SIP account
- Supports SIP V2 (RFC3261) protocol
- Supports RFC2833 (RTP payload for DTMF Digits (in band/out band DTMF)
- Supports RFC3264/3489/3515 (Refer)/2327 (SDP)/358113265 (event notification)/3842 (MWI)
- Supports RTP/NTP/DHCP/TFTP/HTTP protocols
- Supported STUN,DNS,PPoE,static IP and DHCP
- Refreshes DHCP when network is connected
- Separated outbound proxy, registrar IP and port
- Configurable SIP port
- Configurable re-registration time
- Inter-digit timeout configurable

Premium Features continued

- Audio codec supported: G.711a, G.711u, G.723,G.729
- Supports CNG and VAD (on G.723 and G.729)
- Adjustable jitter buffer
- Call hold, call waiting, call transfer
- Supports 3-way conference call
- Last number redial
- Message notification
- Volume up/down, mute microphone/speakerphone
- Allow SIP call log
- Firmware upgrade through TFTP
- Web interface configuration with password
- Configuration backup and restore through web page
- Factory default setting restore

Appearance

Matte black with metal stand





Part Code
AU2080IP(xS)SP

Cotell Aurum IP Guest Room Phone AU2080IP(xS)SP

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 0-6 programmable Guest Service Keys
- Message Waiting Light Neon Indicator (MWL)
- Full-length faceplate for customisation, guest key icons, logo/branding, and dual-lingual dialling instructions
- Adjustable speaker and handset volume with mute
- Adjustable ringer volume
- Hold, redial and flash keys
- Adjustable flash-hook timing
- Pass-through data port
- USB charging (optional)

Appearance & Fittings

Matte finished high quality plastic casing
Standard Matte Finish: Black and White
Optional coloured rim

HIGHLIGHTS

AU208IP(xS)SP

IP phone with 1-6GSK, redial, hold, mute and flash, ringer volume control, adjustable flash-hook timer.





6 GSK
3 button handset dialling

Part Code
AU2080IPW(1S)SP

Cotell Aurum IP Cordless 6 Guest Button Phone AU2080IPW(1S)SP

Premium Features

- Single line
- IP/SIP
- 1.8/1.9 Ghz frequency band
- Base and handset dialling capability
- Secured digital transmission
- Redial capability for both base and handset
- Hold on base and handset
- Surface mount technology with CPU control
- Full length customizable faceplate
- Auto configurable message waiting indicator lamp
- 1-6 programmable memory buttons
- Adjustable flash-hook timer
- Handset and speaker volume control
- Ringer volume control
- Redial, hold, Mute & flash
- Optional coloured rim
- Small footprint

Specifications

Power: 220V/110V-9V power adaptor

Temperature: 25°C ± 10°C

Humidity: 65% ± 20%

Weight: 1.0 Kg

Measurement: 23.6 cm x16.5cm x9.5cm

Appearance & Fittings

Matte finished high quality plastic casing

Standard Matte Finish: Black or white (optional)

Optional coloured rim

CERTIFICATIONS & MANUFACTURING

ISO9001 Quality Assured Manufacturing

CE, FCC, CCC Approved Product

RoHS Certified

FCC: Complied with Parts 15 and 68 of FCC Rules

2 Year Warranty



Part Code
AU2080IPW(1S)SP



3 button handset dialling

Part Code
AU2055W-IP

Cotell Aurum Cordless Extension Phone AU2055W-IP

Premium Features

- Cordless extension of the host AU2080W-IP
- 3 Guest Service Keys
- One Main unit can have four sub-units, IE in addition to one sub-unit on the main unit, it can be equipped with three additional sub-units
- The handset has a hands-free calling function
- Wireless charging function. The standby time of the handset is more than 5 days, and the continuous talk time is more than 5 hours.
- Alloy base and acrylic panel for logo placement

Premium Features continued

- Supports SIP 2.0 (RFC3261) and related RFC protocols
- Supports IAX2, support: VAD, CNG
- Coding: G.711A/u, G.723 high/low, G.729a/b, G.722
- Echo cancellation: Supports G.168, hands-free echo cancellation of 96ms
- Supports hands-free full-duplex calls with clear call quality

Appearance

Matte black with alloy base and acrylic panel for logo placement
1 Main unit can have 3 additional extension units

Part Code
AU2055W-IP





3 button handset dialling

Part Code
AU2066E-IP

Cotell Aurum 2066E-IP 3 Guest Button Hospitality Phone

Premium Features

- Single line IP Phone
- Surface mount technology
- 1-3 programmable Guest Service Keys
- Ringer volume control
- High immunity to electro-magnetic radiation
- Anti-noise high sound quality
- Handset Volume Control
- Function Keys:
Redial, Hold, Mute & Flash
- Small footprint - suitable for areas where space is limited
- Steam resistant

Appearance & Fittings

Matte finished, high quality plastic casing
Matte Black, Matte White (optional), Dark green
Black Plastic Base
Screen printed acrylic faceplate (optional)
1-3 Guest Service Keys

HIGHLIGHTS

AU2066E-IP

Single line IP phone with 1-3GSK, redial, hold, mute & flash, handset volume control, anti-noise, high sound quality.



3 button
handset dialling



Part Code
AU2066AIP(1S)

Cotell Aurum AU2066AIP Hotel Bathroom/Lobby Phone

Premium Features

- Single line analogue phone compatible with all major pbx/pabx systems
- 3 programmable Guest Service Keys
- Surface mount technology with CPU control
- High immunity to electronic radiation
- Adjustable flash-hook timer
- Handset volume control
- Ringer volume control
- Redial, hold, mute and flash
- Heat and steam resistant
- Wall mount
- Available in matte black or white

Subheading

Codecs & Voice Features

- Supports SIP 2.0 (RFC3261) and related RFC protocols
- Support IAX2, support: VAD, CNG
- Coding: G.711A/u, G.723 high/low, G.729a/b, G.722

Codecs & Voice Features contd

- Supports SIP domain, SIP authentication (none, basic, MD5) domain name resolution, point-to-point IP calling
- DTMF mode support: SIP_info, DTMF Relay, RFC 2833

Appearance & Fittings

- Matte finished high quality plastic casing
- 1-3 Guest Service keys
- Logo placement on handset (optional)
- Standard Matte Finish: Black, white or green

HIGHLIGHTS

AU2066AIP

Single line IP phone with 3GSK, volume control, redial, hold, mute and flash, humidity resistant.





- Entry level IP phone
- Compatible with major platforms
- Easy installation and configuration
- Support for fast ethernet
- Key hospitality call and networking features
- USB Port on base



Part Code
V6000IP

ACE V6000IP Phone



Phone Features

- Call logs with missed calls/ incoming calls/outgoing calls – Each support 300 records (web)
- Speed Dial, Web Dial
- LED light
- 6 Programmable DSS keys
- Action URL/ Active URI
- USB charging port on base

Networking

- 10/100Mbps Ethernet, dual bridged port for PC bypass
- IP Configuration: Static/ DHCP/ PPPoE
- Network Access Control: 802.1x
- VPN: L2TP/OpenVPN
- VLAN
- Qos

HIGHLIGHTS & COMPATIBILITY

V6000IP

Contemporary Hotel Phone with USB charging port on base, compatible with major platforms: 3cx, Broadsoft, Elastix, Asterisk, Xorcom. etc



ACE V6000IP Phone Continued

Advanced Features

- Call transfer (unattended/ attended/ semi attended)
- Call holding
- Call waiting
- Redial
- Message Waiting Indicator
- Call blocking function for outgoing calls
- Do Not Disturb
- Call out / answer
- Mute/ unmute
- Call hold / call waiting
- Call logs with missed calls/incoming calls/outgoing
- Speed dial
- Hot line
- Password dial
- Action URL/active URI
- Multicast
- Web dial
- Emergency call

Network

- WAN/LAN: 10/100M Ethernet ports (bridge mode)
- IP configuration: Static/DHCP/PPPoE
- Network access control: 802.1x
- VPN: L2TP (basic unencrypted)/Open VPN
- VLAN
- QoS



Audio

- HD voice: HD handset
- Codec: G.711A/U, G.729AB, G.723.1 high/low, G726-32
- Wideband Codec: G.722 Opus
- Full-duplex hands-free speakerphone with AEC
- Voice Activity Detection (VAD)/ Comfort Noise Generation (CNG)/ Background Noise Estimation (BNE)/ Noise Reduction (NR)
- Packet loss concealment
- Dynamic Adaptive jitter buffer up to 300ms
- DTMF:in-band, out-of-band-DTMF-relay (RFC2833) and SIP Info

Protocols

- Auto-provisioning via FTP/TFTP/HTTP/HTTPS/DHCP/OPT66/SIP PNP/TR069
- Web based management portal
- Web based packet dump
- Configuration export/import
- Firmware upgrade
- Syslog

Specifications

- Adapter input: AC 100-240V
- Adapter output: DC 5V/1A
- WAN Port - 10/100 BASE-T RJ-45 for LAN
- LAN Port -10/100 BASE-T RJ-45 for PC
- Handset: RJ9
- Power consumption Idle:2.5W, active 2.8W
- Operation temperature: 0~40°C
- Relative humidity 10~65%
- Dimensions 213x170x130mm



Part Code
V6000IP

ACE



Part Code
ACE IP90-SIP

ACE IP90-SIP Phone

Premium Features

- IP SIP Phone compatible with all major IP/PBX / IMS platforms eg 3CX, Broadsoft, Elastix, Asterisk, Xorcom
- 1 SIP line with 6 accounts
- 8 Levels of Volume adjustment
- POE
- Easy installation and configuration
- Wall-mount or Desktop
- High performance and environmental design

Networking

- SIP v1 (RFC2543), v2 (RFC3261)
- SIP connection : Proxy mode & Peering Points mode:
- IPV4 & IPV6 DNS SRV (RFC3263)
- NAT Traversal: STUN mode DTMF: In-Band RFC2833, SIP Info, Auto HTTPS Web Management
- TCP/IP/UDP/ARP
- IP Assignment: Static/DHCP
- TFTP/DHCP/PPPoE client
- Telnet/HTTP/HTTPS server, DNS client, NAT/DHCP server RTP

HIGHLIGHTS

ACE IP90-SIP

Contemporary compatible with major platforms: 3cx, Broadsoft, Elastix, Asterisk, Xorcom. etc
Wall-mount or Desktop. High performance and environmentally friendly design.



Call Features

- Call hold
- Intercom
- Redial
- Message Waiting
- Hot Line

Phone Functions

- Call records (web)
- Lan calls without registration
- LED status indicators
- Action URL/ Active URI

Audio

- Wideband code: G.722.L16
- Narrowband code: G711u/A
- Supports VAD, CNG, AEC, PLC, AJB, AGC
- Ringtone customisation
- Volume control adjustment
- Packet loss concealment

Appearance & Fittings

- Matte black or matte ivory
- Hold/ redial function keys
- 2 volume keys (8 levels)
- RJ11 coil cords x1, 1.5M CAT5 cable x1
- RJ11 port x1, RJ45 port x1
- DC input: POE 48V 0.15A
- Rating Power: on hook 1.8W~2.5W,
 - Peak 3W~4W
- Working temperature 0-50°C, Operating humidity 0~95°C
- Unit size 85x220x75mm



**Part Code
ACE IP90-SIP**





Part Code
V5500IP

V5500 Wifi IP Phone with 5 Guest Service Keys

Premium Features & Specifications

- 3.5 inch 320×480 IPS screen, customisable background image
- 2 SIP lines
- 5 programmable Guest Service Keys with icon images
- Built-in dual band 2.4GHz Wifi (Wifi6)
- Factory default SSID configuration
- Sleep mode to reduce energy consumption
- USB interface charging, no need for additional converters
- Hand set/ hands-free mode
- Optional external power supply

Network & Deployment

- Auto provisioning via FTP/TFTP/HTTP/HTTPS/DHCP OPT66/SIP PNP/TR-069
- Web management portal
- Web-based packet dump
- Configuration export/ import
- Firmware upgrade
- Syslog

Call Features

- 5 programmable Guest Service Keys
- Call out/ answer
- Mute/unmute
- Call hold/resume
- Speed dial
- Redial
- Hot line
- Voice Message

Appearance & Fittings

- LCD: 3.5 inch 320x480 screen
- 5 programmable service keys
- 3 function keys (Up/Down/Mute)
- Message Waiting Indicator
- USB-A Port
- Power Consumption (PoE): 1.56~8.29W
- Power Consumption (Adaptor): 0.97~6.08W
- Working temperature: 0~45°C
- Working humidity: 10-96°C



ACE V5500IP Phone Continued

Phone Functions Continued

- 5 programmable Guest Service Keys
- Web Dial
- Dial plan
- SIP hotspot
- Distinctive ring
- Multicast
- Action URL/Active URI
- Built-in dual band 2.4GHZ & 5GHz Wifi (Wifi 6)
- 2.4 GHz, 802.11 b/g/n
- 5 GHz 802.11 a/n/ac/ax
- Web dial
- Dial plan
- Sip Hotspot
- Distinctive Ring
- Multicast

Call Functions

- Call out / answer
- Mute/ unmute
- Call hold / resume
- Speed dial
- Redial
- Hot line
- Voice Message

Networking

- 10/100Mbps Ethernet
- IP Mode: IPv4/IPv6/IPv4&IPv6
- IP Configuration: Static/ DHCP/PPPoE
- Wifi Encryption: WPA/WPA2-PSK/802.XEAP
- Network Access Control: 802.1x
- VPN: L2TP/OpenVPN
- VLAN:802.1P/Q
- Qos
- LLDP
- RTCP-XR (RFC3611),VQ-RTCPXR (RFC6035)

Audio

- Wideband ADC/DAC 16KHz sampling
- Narrowband Codec: G.711A/U, G.729AB, G723.1, G726,iLBC
- Wideband Codec: G.722 Opus
- Full-duplex hands-free speakerphone with AEC
- Voice Activity Detection (VAD)/ Comfort Noise Generation (CNG)/ Background Noise Estimation (BNE)/ Noise Reduction (NR) / Automatic Gain Control (AGC)
- Packet loss concealment
- Dynamic Adaptive jitter buffer
- DTMF:in-band, out-of-band-DTMF-relay (RFC2833)/SIP Info
- VQM voice quality monitoring

Protocols

- SIP v1(RFC2543), v2 (RFC3261) over UDP/TCP/TLS
- STUN
- DHCP
- IPv6
- PPoE
- L2TP
- OpenVPN
- SNTP
- FTP/TFTP
- HTTP/HTTPS
- TR-069



Part Code
V5500IP



- Network time synchronization
- Local contacts
- Remote Phonebook (XML/LDAP,1000 entries)
- Multi-language optional
- Call logs
- Blocked list/ allowed list
- Screen saver
- Personalized ringtone settings
- Screen backlight adjustment
- Memorandum
- SMS service
- Voicemail (MWI)
- Menu encryption settings
- Keypad lock/backlight adjustment
- Volume adjustment



Part Code
V7000-IPW

V7000IPW Phone with Bluetooth

Premium Features

- IP phone / Sip phone
- 2.4" 240×320 color screen with intuitive user interface
- Certified to IP67 standard – waterproof, dustproof and drop safe from 1.8m height
- Built-in dual band WiFi (2.4G)/5G), integrated 802.11 a/b/g/n/ac/ax WiFi (WiFi 6)
- Supports IEEE802.11 11k/v/r roaming
- Supports WPA/WPA2-PSK and 802.1x/EAP encryption to ensure communications security
- Built-in Bluetooth 5.0 can be used to connect headsets/mobile phone and make/answer calls
- 1configurable speed dial push button
- Up to 9 hours talk time
- Up to 200 hours standby time

HIGHLIGHTS

V7000IPW

The V7000IPW is an elegant cordless IP Phone with 4 SIP lines, Caller ID, Bluetooth and up to 9 hours talk time and 200 hours standby time.



ACE V7000 IPW Phone

Audio

- Narrowband Codec: G.711a/u, G.729AB, iLBC
- Wideband Codec: G.722, Opus
- Acoustic Echo Cancellation (AEC) – maximum 96ms echo delay cancellation
- Voice Activity Detection (VAD)/ Comfort Noise Generation (CNG)/Background Noise Estimation (BNE)
- Packet Loss Concealment
- Dynamic adaptive jitter cache up to 300ms
- DTMF: In-band, Out-of-band DTMF Relay (RFC2833)

Network

- Built-in WiFi supports 802.11 a/b/g/n/ac/ax protocol
- 2.4GHz IEEE802.11 b/g/n/ax
- 5GHz IEEE 802.11 a/n/ac/ax
- Encryption: WPA/WPA2-PSK, 802.1x/EAP
- Built-in Bluetooth 5.0 module





Part Code
V5000IP(1S)SP

TE5000IP Desk Phone with Dual USB Charging Ports

Premium Features

- 1 SIP account
- Auto-answer, 3-way conferencing
- Speed dial, SMS, Voicemail
- 10 programmable Guest Service Keys
- Phonebook, Black list, Hands-free indicator
- Ring tone selection/import/delete
- Message Waiting Indication LED
- Volume control
- Dual USB Charging Ports over PoE

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Fully customisable polycarbonate faceplates (optional)

Advanced Voice Features

- XML Phone Book search input & output
- Enterprise phone bok (800 series)
- LDAP phone book
- Customisable functions keys
- supported





ACE 5000IP Desk Phone contd

Call Features

- Call Hold
- Call Forward
- Call Waiting Indication
- Call Mute
- Call Return
- Call Transfer
- Last Number Redial

Codecs and Voice Features

- Wideband codec: G.722
- Narrowband codec: G.711 μ /A, G.723.1
- G.726, G.729a/b, ILBC
- VAD, CNG, AEC, AGC
- Full-duplex

HIGHLIGHTS

V5000 IP(1S)SP

VOIP guestroom phone, single line, 10 GSK, redial, flash. speakerphone, dual USB charging ports. Supports Option 66 mass configuration.





Part Code
V2000IP

ACE V2000IP Bathroom/Lobby Phone

Premium Features

- Compact and modern appearance
- Easy installation and configuration
- Economical and environmentally friendly
- Can store 10 shortcut numbers, long press to achieve speed dial
- Adaptive 10/100 Mbps network port, support POE power supply
- Compatible with major platforms, Asterisk, Broadsoft, 3CX, Metaswitch, Elastix, Avaya etc

Call Features

- Call out/ answer
- Mute/ unmute
- Hands free/ cancel hands free
- Call hold/ resume
- Speed dial/ redial
- Auto answering
- 3 Way conferencing
- Hotline
- Hot desking

HIGHLIGHTS

V2000IP

Compact modern bathroom phone with the ability to store one-touch Memory keys





Part Code
CT688A-P-IP

Line IP Digital Coded, Wall-Mounted Speaker Phone **CT688A-P-IP**

Premium Features

- IP digital telephone
- Powered by POE
- Supports SIP 2.0 (RFC3261) and other RFC-related standard IP protocols
- Horizontal design, single 86 panel
- Plastic panel, snap-in easy installation
- 3 buttons supported - silk screen custom icons
- High temperature and humidity resistant
- Clear call quality: clear, hands-free calls within 2 meters
- Stable quality



Specifications

- One-piece 86 bottom box for installation
- Panel & button material, high quality ABS plastic

Colour Options

- Black

HIGHLIGHTS

CT688A-P-IP

Line IP digital coded, wall mounted telephone, high temperature and humidity resistant



ACE



Part Code
V1066IP

ACE Slim IP Bathroom/Lobby Phone V1066IP

HDTM
VOICE

Premium Features

- HD Voice Call Quality
- SIP (IP) Phone compatible with all major PBX/PABX telephone systems
- Trimline Format
- Wall-Mount
- Heat and Steam Resistant
- Sealed "No Hook-Switch" Design
- 1 Programmable Guest Service Key
- Adjustable Handset Volume
- Redial and Flash Keys

Appearance & Fittings

- High Quality Plastic Casing
- Matte Finish
- Colour: Matte Black or Matte Ivory
- Mini Faceplate/GSK label

HIGHLIGHTS

V1066IP

Trimline Bathroom Phone compatible with all major PBX/PABX telephone systems.





Part Code
HOM-C1

Homtime C1 Alarm Clock

Premium Features

- 3.2 inch, 3 level dimmable LCD large font display
- Double USB port for portable device charging
- Easy set-up alarm clock
- Adjustable alarm volume
- Snooze function
- Thermometer function
- Built in Line-In Aux

Compatibility & Specifications

- Compatible with Ipad or mobile phone
- AC Power Adaptor
- AC 110-240V, DC 5V 3A
- Size: 108 x 88 x 67mm
- Charging port: Double USB
- Output power: 2W



Homtime



Part Code
HOM-C1 Pro

Homtime C1 Pro Alarm Clock

Premium Features

- 3.2 inch, 3 level dimmable LCD large font display
- Double USB port for portable device charging
- Easy set up alarm clock
- Adjustable alarm volume
- Built in Bluetooth
- Snooze function
- Thermometer function
- Built in Line-In Aux

Compatibility & Specifications

- Compatible with Ipad or mobile phone
- AC Power Adaptor
- AC 110-240V, DC 5V 3A
- Size: 108 x 88 x 67mm
- Charging port: Double USB
- Output power: 2W
- Bluetooth version: 2.1
- Output power: 3W + 3W
- Bluetooth Range: 10M





Part Code
Wireless-Charging
Wood-Effect

Wireless Charging Wood-Effect Alarm Clock

Premium Features

- Wireless-charging
- Time and Date Display
- Temperature Display
- Volume Control
- Alarm Set Control for Monday to Friday and Weekend Only
- USB or Battery Operated Power Supply (3*AAA or 4*AAA)



Colour Options

- Light brown wood effect - light display
- Dark wood effect / dark or green light display
- Black wood effect / blue or white light display
- White wood effect / blue or white light display





Part Code
HME4001M

Harmony Megahub Media Panel

Features & Specifications

- Brushed Metal Finish
- Touch sensitive indicator
- Plug and Play functionality – autoswitches TV to HDMI and TV to original mode when device is disconnected
- Single HDMI cable for simple installation
- Plays and charges electronic devices via USB, including IPOD, IPAD and IPHONE
- Supports full HD video resolution up to 1080P
- Wall or furniture mountable

Standard Features

- 2 x single universal power sockets
- HDMI
- USB content and charging
- Audio / Headset jack
- CEC control
- Single HDMI cable for all services

Available Colours & Finishes

Brushed Metal – black
 dark golden
 light golden
 silver





Part Code
HM2001M

Harmony Microhub Media Panel

Features & Specifications

- Brushed Metal or Tempered Glass Finish
- Plug and Play functionality – autoswitches TV to HDMI and TV to original mode when device is disconnected
- Single HDMI cable for simple installation
- Bluetooth allows wireless music streaming to TV
- Plays and charges electronic devices via USB, including IPOD, IPAD and IPHONE
- Supports full HD video resolution up to 1080P
- Wall or furniture mountable

Standard Features

- HDMI
- USB Content and charging
- Audio/Headset jack
- Bluetooth
- CEC control
- Single HDMI for all services

Available Colours & Finishes

Glass – black, champagne, grey, silver, white
Metal – black, dark golden, light golden, silver



HOTEL TECHNOLOGY INTERNATIONAL LTD

ANALOGUE & IP PHONES

ROOM STATUS PLATES

CLOCK RADIOS

MEDIA PANELS

DIGITAL ROOM STATUS SIGNS

INTEGRATED PAYMENT SOLUTIONS



Voted
'Best Hospitality Technology
Specialists 2023'

Accor * Adagio * Banyan Tree * Best Western * Camden Court
Clayton Hotels * Club Med * Coral Doha * Coral International
Conrad London * Courtyard Marriott * Cumberland *
Crowne Plaza * Dorchester * Double Tree by Hilton *
Gran Meliã * Grosvenor House * Hilton * Holiday Inn *
Hilton Garden Inn * Hotel Indigo * Hyatt Regency * Ibis *
Innside Meliã * Intercity * Intercontinental * Jumeirah *
Kempinski * Le Royal Meridien * Maldron * Marriott * Meliã
Mövenpick * Radisson * Ramada * Raviz * Savoy London *
Sheraton * Staybridge * Steigenberger * The Ritz *
Virgin Hotels * Westin * Wyndham

Visit
[hotel-tech.com](https://www.hotel-tech.com)

